In re application of: Robert Manuel Carmichael Serial No. 09/730,116

Page 2

Amendment to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

CLAIM 1 (Cancelled)

CLAIM 2 (Currently Amended) The active control releasable ballast system of claim 1 further including An active control releasable ballast system for dive equipment, comprising:

- a ballast receiving pocket;
- a ballast member stored within said receiving pocket prior to release of said ballast member;
- a first strap attached at least proximate to said receiving pocket;
- a second strap attached at least proximate to said receiving pocket, said second strap associated with said ballast member;
- a side releasable buckle, excluding book and loop fasteners, said side releasable buckle having a first section and a second section, said first section of said side releasable buckle attached to said first strap, said second section of said side releasable buckle attached to said second section of said side releasable buckle attached to said second strap, wherein prior to release of said ballast member said first section and said second section are connected to each other; wherein release of the ballast member from within the receiving pocket is achieved through discommection of the first section of the side releasable buckle; and
- a pouch for holding said ballast member, said pouch stored within said receiving pocket prior to release of said ballast member and said pouch.
- CLAIM 3 (Original) The active control releasable ballast system of claim 2 wherein said second strap is attached to said pouch.

In re application of: Robert Manuel Carmichael Serial No. 09/730,116 Page 3

CLAIM 4 (Currently Amended) The active control releasable ballast system of claim 24 wherein said second strap is attached to said receiving pocket.

CLAIM 5 (Currently Amended) The active control releasable ballast system of claim 24 wherein said second strap is adapted for attachment to said dive equipment.

CLAIM 6 (Currently Amended) The active control releasable ballast system of claim $\underline{2}\underline{1}$ wherein said second strap is attached to said ballast member.

CLAIM 7 (Original) The active control releasable ballast system of claim 2 further including a handle attached to said pouch.

CLAIM 8 (Currently Amended) The active control releasable ballast system of claim 24 further including a handle attached to said ballast member.

CLAIM 9 (Previously presented) An active control releasable ballast system for dive equipment, comprising:

- a ballast receiving pocket;
- a ballast member stored within said receiving pocket prior to release of said ballast member;
- a first strap attached at least proximate to said receiving pocket;
- a second strap attached at least proximate to said receiving pocket, said second strap associated with said ballast member:

a side releasable buckle, excluding hook and loop fasteners, said side releasable buckle having a first section and a second section, said first section of said side releasable buckle attached to said first strap, said second section of said side releasable buckle attached to said second strap, wherein prior to release of said ballast member said first section and said second section are connected to each other; wherein release of the ballast member from within the receiving pocket is achieved

In re application of: Robert Manuel Carmichael Serial No. 09/730,116
Page 4

through disconnection of the first section of the side releasable buckle from the second section of the side releasable buckle; and

- a slightly curved plate disposed within and attached to said receiving pocket.
- CLAIM 10 (Previously presented) An active control releasable ballast system for dive equipment, comprising:
 - a ballast receiving pocket;
- a ballast member stored within said receiving pocket prior to release of said ballast member:
- a first strap attached at least proximate to said receiving pocket;
- a second strap attached at least proximate to said receiving pocket, said second strap associated with said ballast member:
- a side releasable buckle, excluding hook and loop fasteners, said side releasable buckle having a first section and a second section, said first section of said side releasable buckle attached to said first strap, said second section of said side releasable buckle attached to said second strap, wherein prior to release of said ballast member said first section and said second section are connected to each other; wherein release of the ballast member from within the receiving pocket is achieved through disconnection of the first section of the side releasable buckle from the second section of the side releasable buckle;
- a pouch for holding said ballast member, said pouch stored within said receiving pocket prior to release of said ballast member and said pouch; and
- a slightly curved plate disposed within and attached to said pouch. $\ensuremath{\mathsf{S}}$
- CLAIM 11 (Previously presented) An active control releasable ballast system for dive equipment, comprising:
 - a ballast receiving pocket;
- a ballast member stored within said receiving pocket prior to release of said ballast member;

In re application of: Robert Manuel Carmichael Serial No. 09/730,116 Page 5

a first strap attached at least proximate to said receiving pocket;

a second strap attached at least proximate to said receiving pocket, said second strap associated with said ballast member;

a side releasable buckle, excluding hook and loop fasteners, said side releasable buckle having a first section and a second section, said first section of said side releasable buckle attached to said first strap, said second section of said side releasable buckle attached to said second strap, wherein prior to release of said ballast member said first section and said second section are connected to each other; wherein release of the ballast member from within the receiving pocket is achieved through disconnection of the first section of the side releasable buckle from the second section of the side releasable buckle;

a pouch for holding said ballast member, said pouch stored within said receiving pocket prior to release of said ballast member and said pouch; and

a first slightly curved plate disposed within and attached to said receiving pocket and a second slightly curved plate disposed within and attached to said pouch.

CLAIM 12 (Original) The active control releasable ballast system of claim 2 wherein said pouch having a flap.

CLAIM 13 (Currently Amended) The active control releasable ballast system of claim 2+ wherein a location of said side releasable buckle with respect to said receiving pocket provides for a single point active fastening device and handle for active control of said ballast pre-insertion, during use and post release of said ballast.

CLAIMS 14-15 (Cancelled)

CLAIM 16 (Currently Amended) The buoyancy compensator of claim 15 further including A buoyancy compensator, comprising:

a buoyancy compensator shaped body member; and

In re application of: Robert Manuel Carmichael Serial No. 09/730,116 Page 6

an active control releasable ballast system attached to said body member, said active control releasable ballast system comprising:

- a ballast receiving pocket;
- a ballast member disposed within said receiving pocket;
- a first strap attached at least proximate to said receiving pocket;
- a second strap attached at least proximate to said receiving pocket;
- a side releasable buckle, excluding hook and loop fasteners, said side releasable buckle having a first male buckle section and a second female buckle section; wherein prior to release of the ballast member said first male buckle section is inserted within said second female buckle section with one or more areas of an inserted portion of the first male buckle section exposed through one or more corresponding openings in said second female buckle section to permit a user to actively control the release of said first male buckle section from said second female buckle section; wherein release of the ballast member from within the receiving pocket of the releasable ballast system is achieved through disconnection of the first male buckle section of the side releasable buckle from the second female buckle section of the side releasable buckle by the user holding and operating the side releasable buckle;

wherein said first male buckle section of said side releasable buckle attached to said first strap, said second female buckle section of said side releasable buckle attached to said second strap, wherein prior to removable of said ballast member from said receiving pocket said first section and said second section are connected to each other; and

a pouch for holding said ballast member, said pouch disposed within said receiving pocket prior to release of said ballast member and said pouch.

In re application of: Robert Manuel Carmichael Serial No. 09/730,116 Page 7

CLAIM 17 (Previously Presented) The buoyancy compensator of claim 16 wherein said second strap is attached to said pouch.

CLAIM 18 (Currently Amended) The buoyancy compensator of claim $\underline{1615}$ wherein said second strap is attached to said ballast member.

CLAIM 19 (Previously Presented) The buoyancy compensator of claim 16 further including a handle directly or indirectly attached to said pouch.

CLAIM 20 (Currently Amended) The buoyancy compensator of claim $\underline{1615}$ further including a handle directly or indirectly attached to said ballast member.

CLAIM 21 (Cancelled)